

# NEW WORKS.

*Product Fact Sheet - Lighting - Tense Pendant Lamp, Ø90*



## **Tense Pendant Lamp, Ø90**

*Panter & Tourron*

Stretching to over one metre in length, the Tense pendant lamp appears like a soft cloud has floated in. A truly modern construction, its soft Tyvek diffuser represents a material both durable and soft – whilst being 100% recyclable. The flexibility of this paper-like diffuser allows its slim frame to accentuate the cloud like qualities of the Tense pendant lamp. Finished with a slimline LED light source, all components fit into a slim box for ease of transport. A truly modern approach to lighting.

### **About the designer Panter & Tourron**

With a strong focus on research into new formal codes and visual experiences, the Swiss studio of Panter & Tourron works at the intersection of technology, design and society. Material and technological innovation allows for unexpected work that is set to redefine a new vision of luxury. Fresh from collecting the Dezeen Award for their innovative Tense collection, the studio pushes the boundaries of contemporary design today.


<b>Ean No</b>	<b>Item No</b>	<b>Variation</b>
5712826212103	21210	White Tyvek

# NEW WORKS.

Product Fact Sheet - Lighting - Tense Pendant Lamp, Ø90

## Specifications

<b>Product Name</b>	Tense Pendant Lamp
<b>Designer</b>	Panter & Tourron
<b>Year</b>	2020
<b>Category</b>	Lighting
<b>Type</b>	Pendant
<b>Material</b>	Shade in Tyvek membrane (100% recyclable) tightened up with carbon rods, cord in black PVC and dimmable LED light source.
<b>Colour/Variant</b>	White Tyvek
<b>Product Dimensions</b>	H: 150 x D: 800 x W: 900 mm
<b>Packaging Dimensions</b>	H: 520 x W: 1065 x D: 120 mm
<b>Cord</b>	Black PVC cord, L: 5000 mm, Ø: 4 mm
<b>Canopy</b>	Ø: 195 x H: 50 mm (holds driver and excess cord)
<b>Weight (incl. Packaging)</b>	- kg
<b>Light Source</b>	LED 22W, 2700K Mains dimmable, trailing edge, no digital transformer needed. Output: 36 Va / 550 Ma Input: 230VA/110mA, 50/60Hz, PF=0,95 Lumen: 2,200 lm, CRI: 80.
<b>Bulb</b>	Light source included. Min. 50,000 hours.
<b>Certification</b>	CE, Class II, IP22
<b>County of origin</b>	China
<b>Master packaging</b>	1



## Cleaning & Care Guide

Turn off the electricity before cleaning the lamp. Clean gently with a duster.

## Safety Precautions

The lamp is only intended for indoor use, and consult a professionally qualified electrician if any doubt.

# NEW WORKS.

*Product Fact Sheet - Lighting - Tense Pendant Lamp, Ø90*

## Details

